Code for Special Purpose (U00－U89)

Codes for special purposes

This chapter contains the following blocks

U00-U49 Provisional classification of new diseases of unknown origin

Resistance to U82－U85 antimicrobial and anti-tumor drugs

Provisional classification of new diseases or emergency codes of unknown origin (U00－U49)

Provisional assignment of new diseases of uncertain etiology or emergency use

U04 Severe acute respiratory syndrome [SARS]

Severe acute respiratory syndrome ［SARS］

U04.9 Severe Acute respiratory syndrome [SARS], Details unknown

U06 Zika virus disease

Zika virus disease

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U06 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U06.0 Emergency Code U06.0

U06.1 Emergency Code U06.1

U06.2 Emergency Code U06.2

U06.3 Emergency Code U06.3

U06.4 Emergency Code U06.4

U06.5 Emergency Code U06.5

U06.6 Emergency Code U06.6

U06.7 Emergency code U06.7

U06.8 Emergency code u06.8

U06.9 Zika virus disease, details unknown

U07 Emergency Code U07

Emergency use of U07

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U07 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U07.0 Disorders associated with vaping

Dubbing-related lung injuries

Dubbing-related disorders

Electronic cigarette-related lung injuries

Electronic cigarette-related lung damage

Dubbing-related lung damage

E-cigarette－[Electronic] Cigarette-related disorders

EVALI [E-cigarette, or vaping, lung damage associated with product use]

If classification of pneumonia or other symptoms is required, additional codes are used.

U07.1 Coronavirus infection 2019, the virus has been identified

※ COVID-19, the virus has been identified

Coronavirus Infection 2019 <COVID-19>NOS

Regardless of the severity of clinical signs or symptoms, coronavirus infection 2019 is confirmed by testing
to be used.If you need to classify pneumonia or other symptoms, use additional codes.

to.

Excluded: Coronavirus infection, site unknown (B34.2)

Coronavirus, which is the cause of diseases classified in other chapters (B97.2)

Severe acute respiratory syndrome [SARS], Details unknown (U04.9)

U07.2 Coronavirus infection 2019, the virus has not been identified

※ COVID-19, the virus has not been identified

Coronavirus infection 2019 has been clinically or epidemiologically diagnosed, but the results of the tests are confirmed
It is used in cases where the test is not specified or the test is not available.the classification of pneumonia or other symptoms
If necessary, use additional code.

Excluded: Coronavirus infection, site unknown (B34.2)

Coronavirus Infection 2019 <COVID-19>:

-Confirmed by inspection (U07.1)

-Special screening inspection (Z11.5)

-Suspected but excluded diagnosis due to negative test (Z03.8)

U07.3 Emergency Code U07.3

U07.4 Emergency Code U07.4

U07.5 Emergency Code U07.5

U07.6 Emergency Code U07.6

U07.7 Emergency code U07.7

U07.8 Emergency code u07.8

U07.9 Emergency code U07.9

U08 History of coronavirus infection 2019

Personal history of COVID-19

※ History of COVID-19

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U08 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately

Upon instruction.
It is intended to be.

U08.0 Emergency Code U08.0

U08.1 Emergency Code U08.1

U08.2 Emergency Code U08.2

U08.3 Emergency Code U08.3

U08.4 Emergency Code U08.4

U08.5 Emergency Code U08.5

U08.6 Emergency Code U08.6

U08.7 Emergency code u08.7

U08.8 Emergency code u08.8

U08.9 History of coronavirus infection 2019, details unknown

※ History of COVID-19, details unknown

Note: This arbitrary code is no longer suffering from coronavirus infection 2019, but due to health conditions

Coronavirus infections confirmed or likely to have affected prior to 2019

It is used to record the episodes of the series.This code should be used for the primary table of deaths

It is not.

U09 Pathologies after coronavirus infection 2019

Post COVID-19 condition

※ Symptoms after COVID-19

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure

However, the code is not available in the electronic system.For more information on the U09 item to use here, see WHO

This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.

It is intended to be.

U09.0 Emergency Code U09.0

U09.1 Emergency Code u09.1

U09.2 Emergency Code U09.2

U09.3 Emergency Code U09.3

U09.4 Emergency Code U09.4

U09.5 Emergency Code U09.5

U09.6 Emergency Code U09.6

U09.7 Emergency code u09.7

U09.8 Emergency code u09.8

U09.9 Disease state after coronavirus infection 2019, details unknown

※ Symptoms after COVID-19, details unknown

Note: This optional code allows the establishment of relevance with Coronavirus infection 2019

This is the first time that I have seen this video.If this code is still presenting with coronavirus infection 2019

Do not use.

U10 Multisystem inflammatory syndrome associated with coronavirus infection 2019

Multisystem inflammatory syndrome associated with COVID-19

※ Multi-system inflammatory syndrome associated with COVID-19

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U10 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U10.0 Emergency Code U10.0

U10.1 Emergency Code U10.1

U10.2 Emergency Code U10.2

U10.3 Emergency Code U10.3

U10.4 Emergency Code U10.4

U10.5 Emergency Code U10.5

U10.6 Emergency Code U10.6

U10.7 Emergency code U10.7

U10.8 Emergency code u10.8

U10.9 Multi-system inflammatory syndrome associated with coronavirus infection 2019, details unknown

※ Multi-system inflammatory syndrome associated with COVID-19, details unknown

Cytokine Storm

Kawasaki Disease-like syndrome Coronavirus in time

Related to pediatric Inflammatory Multisystem Syndrome (PIMS) infection 2019

Pediatric multi-system inflammatory syndrome (MIS-C)

Excluded: Skin mucosal lymph node syndrome [Kawasaki disease] (M30.3)

U11 Emergency Code U11

Emergency use of U11

※ Use this code as a "need for vaccination against coronavirus infection 2019".

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U11 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U11.0 Emergency Code U11.0

U11.1 Emergency Code U11.1

U11.2 Emergency Code U11.2

U11.3 Emergency Code U11.3

U11.4 Emergency Code U11.4

U11.5 Emergency Code U11.5

U11.6 Emergency Code U11.6

U11.7 Emergency code u11.7

U11.8 Emergency code u11.8

U11.9 Emergency code U11.9

※ The code "The need for vaccination against coronavirus infection 2019, details unknown" as

to use.

Note: This code is not used for international comparisons or original cause of death coding.This arbitrary code is a disease

With the promise of receiving the coronavirus infection 2019 vaccine, regardless of whether you are not suffering from the disease

It is intended to be used when receiving health services for a specific purpose.

Coronavirus infection 2019 vaccination

Excluded: unenforceable vaccinations (Z28.-)

U12 Emergency Code U12

Emergency use of U12

※ The code states "Coronavirus infection 2019 vaccine that caused adverse effects through therapeutic use".

It is also used as an anti-inflammatory agent.

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure

However, the code is not available in the electronic system.For more information on the U12 item used here, see WHO

This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.

It is intended to be.

U12.0 Emergency Code U12.0

U12.1 Emergency Code U12.1

U12.2 Emergency Code U12.2

U12.3 Emergency Code U12.3

U12.4 Emergency Code U12.4

U12.5 Emergency Code U12.5

U12.6 Emergency Code U12.6

U12.7 Emergency code u12.7

U12.8 Emergency code u12.8

U12.9 Emergency code u12.9

※ The code states "Coronavirus infection 2019 vaccine that caused adverse effects through therapeutic use".

It is used as a "cutin, details unknown".

Note: This code is an exogenous code (i.e., Y59 other and unknown vaccine and biological

It is used as a subdivision item of the preparation).In addition to this code, when indicating the nature of adverse effects

You should use the code in other chapters.

Proper use of the coronavirus infection 2019 vaccine that caused adverse effects in preventive therapeutic use

No administration

U13 Emergency Code U13

Emergency use of U13

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure

However, the code is not available in the electronic system.For more information on the U13 item to use here, see WHO

This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.

It is intended to be.

U13.0 Emergency Code U13.0

U13.1 Emergency Code u13.1

U13.2 Emergency Code U13.2

U13.3 Emergency Code U13.3
U13.4 Emergency Code U13.4

U13.5 Emergency Code U13.5

U13.6 Emergency Code U13.6

U13.7 Emergency code u13.7

U13.8 Emergency code u13.8

U13.9 Emergency code u13.9

U14 Emergency Code U14

Emergency use of U14

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U14 item used here, see WHO

This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U14.0 Emergency Code U14.0

U14.1 Emergency Code U14.1

U14.2 Emergency Code U14.2

U14.3 Emergency Code U14.3

U14.4 Emergency Code U14.4

U14.5 Emergency Code U14.5

U14.6 Emergency Code U14.6

U14.7 Emergency code u14.7

U14.8 Emergency code u14.8

U14.9 Emergency code u14.9

U15 Emergency Code U15

Emergency use of U15

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U15 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U15.0 Emergency Code U15.0

U15.1 Emergency Code U15.1

U15.2 Emergency Code U15.2

U15.3 Emergency Code U15.3

U15.4 Emergency Code U15.4

U15.5 Emergency Code U15.5

U15.6 Emergency Code U15.6

U15.7 Emergency code u15.7

U15.8 Emergency code u15.8

U15.9 Emergency code U15.9

U16 Emergency Code U16
Emergency use of U16

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U16 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U16.0 Emergency Code U16.0

U16.1 Emergency Code U16.1

U16.2 Emergency Code U16.2

U16.3 Emergency Code U16.3

U16.4 Emergency Code U16.4

U16.5 Emergency Code U16.5

U16.6 Emergency Code U16.6

U16.7 Emergency code u16.7

U16.8 Emergency code u16.8

U16.9 Emergency code u16.9

U17 Emergency Code U17

Emergency use of U17

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U17 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U17.0 Emergency Code U17.0

U17.1 Emergency Code U17.1

U17.2 Emergency Code U17.2

U17.3 Emergency Code U17.3

U17.4 Emergency Code U17.4

U17.5 Emergency Code U17.5

U17.6 Emergency Code U17.6

U17.7 Emergency code u17.7

U17.8 Emergency code u17.8

U17.9 Emergency code U17.9

U18 Emergency Code U18

Emergency use of U18

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U18 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U18.0 Emergency code U18.0

U18.1 Emergency Code U18.1

U18.2 Emergency Code U18.2

U18.3 Emergency Code U18.3

U18.4 Emergency Code U18.4

U18.5 Emergency Code U18.5

U18.6 Emergency Code U18.6

U18.7 Emergency code u18.7

U18.8 Emergency code u18.8

U18.9 Emergency code U18.9

U19 Emergency Code U19

Emergency use of U19

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U19 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U19.0 Emergency code U19.0

U19.1 Emergency code u19.1

U19.2 Emergency Code U19.2

U19.3 Emergency Code U19.3

U19.4 Emergency code U19.4

U19.5 Emergency code U19.5

U19.6 Emergency code U19.6

U19.7 Emergency code u19.7

U19.8 Emergency code u19.8

U19.9 Emergency code u19.9

U20 Emergency Code U20

Emergency use of U20

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U20 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U20.0 Emergency code U20.0

U20.1 Emergency Code u20.1

U20.2 Emergency Code U20.2

U20.3 Emergency Code U20.3

U20.4 Emergency code U20.4

U20.5 Emergency code U20.5

U20.6 Emergency Code U20.6

U20.7 Emergency code u20.7

U20.8 Emergency code u20.8

U20.9 Emergency code u20.9

U21 Emergency Code U21

Emergency use of U21

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U21 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U21.0 Emergency code U21.0

U21.1 Emergency Code u21.1

U21.2 Emergency Code U21.2

U21.3 Emergency Code U21.3

U21.4 Emergency code U21.4

U21.5 Emergency code U21.5

U21.6 Emergency Code U21.6

U21.7 Emergency code u21.7

U21.8 Emergency code u21.8

U21.9 Emergency code u21.9

U22 Emergency Code U22

Emergency use of U22

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U22 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U22.0 Emergency code U22.0

U22.1 Emergency code u22.1

U22.2 Emergency Code U22.2

U22.3 Emergency Code U22.3

U22.4 Emergency code U22.4

U22.5 Emergency code U22.5

U22.6 Emergency Code U22.6

U22.7 Emergency code u22.7

U22.8 Emergency code u22.8

U22.9 Emergency code u22.9

U23 Emergency Code U23

Emergency use of U23

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U23 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U23.0 Emergency code U23.0

U23.1 Emergency code u23.1

U23.2 Emergency Code U23.2

U23.3 Emergency Code U23.3

U23.4 Emergency code U23.4

U23.5 Emergency code U23.5

U23.6 Emergency Code U23.6

U23.7 Emergency code u23.7

U23.8 Emergency code u23.8

U23.9 Emergency code u23.9

U24 Emergency Code U24

Emergency use of U24

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U24 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U24.0 Emergency code U24.0

U24.1 Emergency code u24.1

U24.2 Emergency Code U24.2

U24.3 Emergency Code U24.3

U24.4 Emergency code U24.4

U24.5 Emergency code U24.5

U24.6 Emergency code U24.6

U24.7 Emergency code u24.7

U24.8 Emergency code u24.8

U24.9 Emergency code u24.9

U25 Emergency Code U25

Emergency use of U25

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U25 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately

upon instruction.
It is intended to be.

U25.0 Emergency code U25.0

U25.1 Emergency code u25.1

U25.2 Emergency Code U25.2

U25.3 Emergency Code U25.3

U25.4 Emergency code U25.4

U25.5 Emergency code U25.5

U25.6 Emergency code U25.6

U25.7 Emergency code u25.7

U25.8 Emergency code u25.8

U25.9 Emergency code u25.9

U26 Emergency Code U26

Emergency use of U26

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U26 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U26.0 Emergency code U26.0

U26.1 Emergency code u26.1

U26.2 Emergency Code U26.2

U26.3 Emergency Code U26.3

U26.4 Emergency code U26.4

U26.5 Emergency code U26.5

U26.6 Emergency code U26.6

U26.7 Emergency code u26.7

U26.8 Emergency code u26.8

U26.9 Emergency code u26.9

U27 Emergency Code U27

Emergency use of U27

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U27 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U27.0 Emergency code U27.0

U27.1 Emergency code u27.1

U27.2 Emergency Code U27.2

U27.3 Emergency Code U27.3

U27.4 Emergency code U27.4

U27.5 Emergency code U27.5

U27.6 Emergency code U27.6

U27.7 Emergency code u27.7

U27.8 Emergency code u27.8

U27.9 Emergency code u27.9

U28 Emergency Code U28

Emergency use of U28

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U28 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U28.0 Emergency code U28.0

U28.1 Emergency code u28.1

U28.2 Emergency code U28.2

U28.3 Emergency Code U28.3

U28.4 Emergency code U28.4

U28.5 Emergency code u28.5

U28.6 Emergency code U28.6

U28.7 Emergency code u28.7

U28.8 Emergency code u28.8

U28.9 Emergency code u28.9

U29 Emergency Code U29

Emergency use of U29

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U29 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U29.0 Emergency code U29.0

U29.1 Emergency code u29.1

U29.2 Emergency code U29.2

U29.3 Emergency Code U29.3

U29.4 Emergency code U29.4

U29.5 Emergency code u29.5

U29.6 Emergency code U29.6

U29.7 Emergency code u29.7

U29.8 Emergency code u29.8

U29.9 Emergency code u29.9

U30 Emergency Code U30

Emergency use of U30

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U30 item to use

This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U30.0 Emergency code U30.0

U30.1 Emergency Code u30.1

U30.2 Emergency Code U30.2

U30.3 Emergency Code U30.3

U30.4 Emergency code U30.4

U30.5 Emergency code U30.5

U30.6 Emergency code U30.6

U30.7 Emergency code u30.7

U30.8 Emergency code u30.8

U30.9 Emergency code u30.9

U31 Emergency Code U31

Emergency use of U31

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure

However, the code is not available in the electronic system.For more information on the U31 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U31.0 Emergency code U31.0

U31.1 Emergency Code u31.1

U31.2 Emergency Code U31.2

U31.3 Emergency Code U31.3

U31.4 Emergency code U31.4

U31.5 Emergency code U31.5

U31.6 Emergency Code U31.6

U31.7 Emergency code u31.7

U31.8 Emergency code u31.8

U31.9 Emergency code u31.9

U32 Emergency Code U32

Emergency use of U32

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U32 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U32.0 Emergency code U32.0

U32.1 Emergency code u32.1

U32.2 Emergency Code U32.2

U32.3 Emergency Code U32.3

U32.4 Emergency code U32.4

U32.5 Emergency code U32.5

U32.6 Emergency code U32.6
U32.7 Emergency code u32.7
U32.8 Emergency code u32.8
U32.9 Emergency code u32.9

U33 Emergency Code U33
Emergency use of U33

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U33 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.

It is intended to be.
U33.0 Emergency code U33.0
U33.1 Emergency Code u33.1
U33.2 Emergency Code U33.2
U33.3 Emergency Code U33.3
U33.4 Emergency code U33.4
U33.5 Emergency code U33.5
U33.6 Emergency Code U33.6
U33.7 Emergency code u33.7
U33.8 Emergency code u33.8
U33.9 Emergency code u33.9

U34 Emergency Code U34
Emergency use of U34

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U34 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.
U34.0 Emergency code U34.0
U34.1 Emergency code u34.1
U34.2 Emergency Code U34.2
U34.3 Emergency Code U34.3
U34.4 Emergency code U34.4
U34.5 Emergency code U34.5
U34.6 Emergency code U34.6
U34.7 Emergency code u34.7
U34.8 Emergency code u34.8
U34.9 Emergency code u34.9

U35 Emergency Code U35
Emergency use of U35

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure

However, the code is not available in the electronic system.For more information on the U35 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U35.0 Emergency code U35.0

U35.1 Emergency code u35.1

U35.2 Emergency Code U35.2

U35.3 Emergency Code U35.3

U35.4 Emergency code U35.4

U35.5 Emergency code U35.5

U35.6 Emergency code U35.6

U35.7 Emergency code u35.7

U35.8 Emergency code u35.8

U35.9 Emergency code u35.9

U36 Emergency Code U36

Emergency use of U36

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U36 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U36.0 Emergency code U36.0

U36.1 Emergency code u36.1

U36.2 Emergency Code U36.2

U36.3 Emergency Code U36.3

U36.4 Emergency code U36.4

U36.5 Emergency code U36.5

U36.6 Emergency code U36.6

U36.7 Emergency code u36.7

U36.8 Emergency code u36.8

U36.9 Emergency code u36.9

U37 Emergency Code U37

Emergency use of U37

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U37 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U37.0 Emergency code U37.0

U37.1 Emergency code u37.1

U37.2 Emergency Code U37.2

U37.3 Emergency Code U37.3

U37.4 Emergency code U37.4

U37.5 Emergency code U37.5

U37.6 Emergency code U37.6

U37.7 Emergency code u37.7

U37.8 Emergency code u37.8

U37.9 Emergency code u37.9

U38 Emergency Code U38

Emergency use of U38

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U38 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U38.0 Emergency code U38.0

U38.1 Emergency code u38.1

U38.2 Emergency code U38.2

U38.3 Emergency Code U38.3

U38.4 Emergency code U38.4

U38.5 Emergency code U38.5

U38.6 Emergency code U38.6

U38.7 Emergency code u38.7

U38.8 Emergency code u38.8

U38.9 Emergency code u38.9

U39 Emergency Code U39

Emergency use of U39

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U39 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U39.0 Emergency code U39.0

U39.1 Emergency code u39.1

U39.2 Emergency code U39.2

U39.3 Emergency Code U39.3

U39.4 Emergency code U39.4

U39.5 Emergency code u39.5

U39.6 Emergency code U39.6

U39.7 Emergency code u39.7

U39.8 Emergency code u39.8

U39.9 Emergency code u39.9

U40 Emergency Code U40

Emergency use of U40

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U40 item to use here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U40.0 Emergency code U40.0

U40.1 Emergency code u40.1

U40.2 Emergency code U40.2

U40.3 Emergency Code U40.3

U40.4 Emergency code U40.4

U40.5 Emergency code U40.5

U40.6 Emergency code U40.6

U40.7 Emergency code u40.7

U40.8 Emergency code u40.8

U40.9 Emergency code u40.9

U41 Emergency Code U41

Emergency use of U41

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U41 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U41.0 Emergency code U41.0

U41.1 Emergency code u41.1

U41.2 Emergency Code U41.2

U41.3 Emergency Code U41.3

U41.4 Emergency code U41.4

U41.5 Emergency code U41.5

U41.6 Emergency code U41.6

U41.7 Emergency code u41.7

U41.8 Emergency code u41.8

U41.9 Emergency code u41.9

U42 Emergency Code U42

Emergency use of U42

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U42 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U42.0 Emergency code U42.0

U42.1 Emergency code u42.1

U42.2 Emergency code U42.2

U42.3 Emergency Code U42.3

U42.4 Emergency code U42.4

U42.5 Emergency code U42.5

U42.6 Emergency code U42.6

U42.7 Emergency code u42.7

U42.8 Emergency code u42.8

U42.9 Emergency code u42.9

U43 Emergency Code U43

Emergency use of U43

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U43 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U43.0 Emergency code U43.0

U43.1 Emergency code u43.1

U43.2 Emergency Code U43.2

U43.3 Emergency Code U43.3

U43.4 Emergency code U43.4

U43.5 Emergency code u43.5

U43.6 Emergency code U43.6

U43.7 Emergency code u43.7

U43.8 Emergency code u43.8

U43.9 Emergency code u43.9

U44 Emergency Code U44

Emergency use of U44

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U44 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U44.0 Emergency code U44.0

U44.1 Emergency Code U44.1

U44.2 Emergency Code U44.2

U44.3 Emergency Code U44.3

U44.4 Emergency code U44.4

U44.5 Emergency code U44.5

U44.6 Emergency code U44.6

U44.7 Emergency code u44.7

U44.8 Emergency code u44.8

U44.9 Emergency code u44.9

U45 Emergency Code U45

Emergency use of U45

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U45 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U45.0 Emergency code U45.0

U45.1 Emergency code u45.1

U45.2 Emergency code U45.2

U45.3 Emergency Code U45.3

U45.4 Emergency code U45.4

U45.5 Emergency code U45.5

U45.6 Emergency code U45.6

U45.7 Emergency code u45.7

U45.8 Emergency code u45.8

U45.9 Emergency code u45.9

U46 Emergency Code U46

Emergency use of U46

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U46 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U46.0 Emergency code U46.0

U46.1 Emergency code u46.1

U46.2 Emergency code U46.2

U46.3 Emergency Code U46.3

U46.4 Emergency code U46.4

U46.5 Emergency code u46.5

U46.6 Emergency code U46.6

U46.7 Emergency code u46.7

U46.8 Emergency code u46.8

U46.9 Emergency code u46.9

U47 Emergency Code U47

Emergency use of U47

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U47 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U47.0 Emergency code U47.0

U47.1 Emergency code u47.1

U47.2 Emergency code U47.2

U47.3 Emergency Code U47.3

U47.4 Emergency code U47.4

U47.5 Emergency code U47.5

U47.6 Emergency code U47.6

U47.7 Emergency code u47.7

U47.8 Emergency code u47.8

U47.9 Emergency code u47.9

U48 Emergency Code U48

Emergency use of U48

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U48 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U48.0 Emergency code U48.0

U48.1 Emergency code u48.1

U48.2 Emergency code U48.2

U48.3 Emergency Code U48.3

U48.4 Emergency code U48.4

U48.5 Emergency code u48.5

U48.6 Emergency code U48.6

U48.7 Emergency code u48.7

U48.8 Emergency code u48.8

U48.9 Emergency code u48.9

U49 Emergency Code U49

Emergency use of U49

Items U00-U49 are provisionally used by WHO for new diseases of unknown origin.In case of emergency, be sure
However, the code is not available in the electronic system.For more information on the U49 item used here, see WHO
This classification item and subdivision item may be used at any time in all electronic systems immediately upon instruction.
It is intended to be.

U49.0 Emergency code U49.0

U49.1 Emergency code u49.1

U49.2 Emergency code U49.2

U49.3 Emergency Code U49.3

U49.4 Emergency code U49.4

U49.5 Emergency code u49.5

U49.6 Emergency code U49.6

U49.7 Emergency code u49.7

U49.8 Emergency code u49.8

U49.9 Emergency code u49.9

Resistance to antimicrobial and anti-tumor drugs (U82－U85)

Resistance to antimicrobial and antineoplastic drugs

Note: It should never be used for primary coding.This classification is divided into antimicrobial and anti-malignancy

Auxiliary code when it is necessary to identify resistant, non-reactive and refractory substances in the pathology of the drug
Or for use as additional code.

U82 Resistance to beta-lactam antibiotics

Resistance to betalactam antibiotics

Additional code if the classification of resistant pathogens to the treatment of beta-lactam antibiotics is required
To use (B95－B98)

U82.0 Resistance to penicillin

Resistance:

-Amoxicillin

-ampicillin.

U82.1 Resistance to methicillin

Resistance:

-cloxacillin.

-Flucloxacillin

-oxacillin.

U82.2 Substrate specificity Extended beta lactamase (ESBL) resistance

U82.8 Other Beta-lactam resistance

U82.9 Beta-lactam resistance, unknown

U83 Resistance to other antibiotics

Resistance to other antibiotics

If the classification of resistant pathogens to the treatment of other antibiotics is required, additional code
(B95-B98).

U83.0 Resistance to vancomycin

U83.1 Resistance to other vancomycin-related antibiotics

U83.2 Resistance to quinolone

U83.7 Resistance to multidrug antibiotics

U83.8 Resistance to other apparent single-dose antibiotics

U83.9 Resistance to unknown antibiotics

Resistance to antibiotics NOS

U84 Resistance to other antimicrobial agents

Resistance to other antimicrobial drugs

If the classification of resistant pathogens to antimicrobial drugs is required, an additional code (B95－B98) should be used.
to.

Excluded:

Resistance to antibiotics (U82－U83)

U84.0 Resistance to antiparasitic drugs

Resistance to quinine or compound-related

U84.1 Resistance to antifungal drugs

U84.2 Resistance to antiviral drugs

U84.3 Resistance to anti-tuberculosis drugs

U84.7 Resistance to multidrug antibacterial drugs

Excluded:

Resistance of multidrug antibiotics only (U83.7)

U84.8 Resistance to other indicated antimicrobial agents

U84.9 Resistance to unknown antimicrobial agents

Drug resistance NOS

U85 Resistance to antitumor drugs

Resistance to antineoplastic drugs

Inclusion:

Non-reactivity to antitumor drugs

Refractory <Treatment resistance> Cancer

Remarks

1 When the same disease is classified in double terms, the † mark is indicated for the classification item as the underlying disease, and the * mark for the classification item for symptom manifestation (organ).
You are using signs.

2 ( ) The term may be omitted when displaying the results of statistical surveys.

3 < > The term in writing or the term immediately preceding the term may be omitted when displaying the results of a statistical survey.
can be.

4 The term in [ ] is a synonym for the term immediately preceding it, and may be omitted when displaying the results of a statistical survey.